







Pull handles

	Style	Page	No
[Mitred, Ø16 mm, solid	112	1510
	Mitred, Ø26 mm, hollow	113	15.026.222
	Mitred, Ø32 mm, hollow	113	15.032.222
	Mitred, Ø40 mm, hollow	113	15.040.222
T	T-shaped, Ø16 mm, solid	114	1511
	T-shaped, Ø26 mm, hollow	115	15.026.122
	T-shaped, Ø32 mm, hollow	115-116	15.032.122/.422
	T-shaped, Ø40 mm, hollow	115-116	15.040.122/.422
C	U-shaped, Ø14 mm, solid	118	1512
	U-shaped, Ø16 mm, solid	118	1513
	U-shaped, Ø19 mm, solid	118	1514
	U-shaped, Ø26 mm, hollow.....	119	15.026.22
	U-shaped, Ø32 mm, hollow	119	15.032.22
	U-shaped, Ø40 mm, hollow.....	119	15.040.22
f	U-shaped, cranked, Ø14 mm, solid	120	1532
	U-shaped, cranked, Ø16 mm, solid	120	1533
	U-shaped, cranked, Ø19 mm, solid	120	1534
	U-shaped, cranked, Ø26 mm, hollow	121	15.026.23
	U-shaped, cranked, Ø32 mm, hollow	121	15.032.23
	U-shaped, cranked, Ø40 mm, hollow	121	15.040.23
[Mitred, cranked, Ø26 mm, hollow	124	15.026.223
	Mitred, cranked, Ø32 mm, hollow	124	15.032.223

Pull handles

	Style	Page	No
	C-shaped, cranked, Ø26 mm, hollow.....	123	15.026.25
	C-shaped, cranked, Ø32 mm, hollow.....	123	15.032.25
	C-shaped, mitred, Ø26 mm, hollow.....	126	15.026.225
	C-shaped, mitred, Ø32 mm, hollow.....	126	15.032.225
	Angle, cranked, Ø26 mm, hollow	122	15.026.24
	Angle, cranked, Ø32 mm, hollow	122	15.032.24
	Angle, cranked, Ø40 mm, hollow	122	15.040.24
	Angle, cranked, Ø26 mm, mitred, hollow	125	15.026.224
	Angle, cranked, Ø32 mm, mitred, hollow	125	15.032.224
	Arch, cranked, Ø26 mm, mitred, hollow	127	15.026.226
	Arch, cranked, Ø26 mm, mitred, hollow	127	15.032.226
	U-shaped, Ø16 mm, solid with roses	128	1550
	U-shaped, Ø16 mm, solid with roses	128	1551
	U-shaped, Ø19 mm, solid with roses	128	1552
	U-shaped, cranked, Ø16 mm, solid with roses	129	1554
	U-shaped, cranked, Ø19 mm, solid with roses	129	1558
	Elbow handle, Ø16 mm, solid with roses	129	1560
	Elbow handle, Ø16 mm, solid, in pairs.....	130	1565
	Elbow handle, Ø16 mm, solid, in pairs with backplate...	131	1567
	Backplate with flush handle, design C.F. Møller	132	1570/71
	Backplate with flush handle, 175 x 65 x 2 mm.	133/135	1580/90
	Backplate with flush handle ,175 x 170 x 2 mm.	133/135	1581/91

no 1510




Solid, mitred pull handle, $\varnothing 16$ mm.

Available in satin stainless steel (AISI 304).

Supplied singly, thread or pin side, without fixing sets. Pin side supplied with grub screw, thread side supplied with M8 thread. Fixing sets should be ordered separately, see code scheme.

Specify fixing centres and separate fixing sets when ordering.
For special fixing centres, contact sales department.




52

Fixing centres	125 mm	200 mm	300 mm	400 mm	650 mm
Stainless steel	1510.01.GEV / HUL	1510.04.GEV / HUL	1510.02.GEV / HUL	1510.05.GEV / HUL	1510.03.GEV / HUL

GEV = thread side
HUL = pin side

Fixing Sets



X =

10 - 22 mm.	53002/MA	74071/GA	53050T	53040/SA
23 - 30 mm.	53002/MB	74071/GB		53040/SB
31 - 42 mm.	53002/MC	74071/GC		53040/SC
43 - 54 mm.	53002/MD	74071/GD		53040/SD
55 - 66 mm.	53002/ME	74071/GE		53040/SE
67 - 78 mm.	53002/MF	74071/GF		53040/SF
79 - 90 mm.		74071/GG		53040/SG


no 15.0XX.222



Hollow, mitred pullhandle. Available in satin stainless steel (AISI 316).

Supplied singly without screws. Fixing sets should be ordered separately, see code scheme.




Specify fixing centres and separate fixing sets when ordering. For special fixing centres, contact sales department.





Fixing centres	200 mm	300 mm	400 mm	
Stainless steel				
Ø 26	15.026.222.04.H	15.026.222.02.H	15.026.222.05.H	85
Ø 32	15.032.222.04.H	15.032.222.02.H	15.032.222.05.H	88
Ø 40			15.040.222.05.H	103

Fixing Sets




Timber doors



Glass doors



Aluminium doors



K 9 - 23 mm - no. 53143
K 23 - 41 mm - no. 53144

no 1511



Solid, straight pull handle, $\varnothing 16$ mm.

Available in satin stainless steel (AISI 304).

Supplied singly, thread or pin side, without fixing sets. Pin side supplied with grub screw, thread side supplied with M8 thread. Fixing sets should be ordered separately, see code scheme.




Specify fixing centres and separate fixing sets when ordering.
For special fixing centres, contact sales department.

Fixing centres	125 mm	200 mm	300 mm	400 mm	650 mm
Total length	185 mm	270 mm	390 mm	490 mm	760 mm
Stainless steel	1511.01.GEV / HUL	1511.04.GEV / HUL	1511.02.GEV / HUL	1511.05.GEV / HUL	1511.03.GEV / HUL

GEV = thread side
HUL = pin side

Fixing Sets



X =

10 - 22 mm.	53002/MA	74071/GA	53040/SA
23 - 30 mm.	53002/MB	74071/GB	53040/SB
31 - 42 mm.	53002/MC	74071/GC	53040/SC
43 - 54 mm.	53002/MD	74071/GD	53040/SD
55 - 66 mm.	53002/ME	74071/GE	53040/SE
67 - 78 mm.	53002/MF	74071/GF	53040/SF
79 - 90 mm.	74071/GG	53050T	53040/SG

no 15.0XX.122



Hollow, straight pull handle. Supplied with flat ends as standard. Also available with round, angled or „ball“ ends. Available in satin stainless steel (AISI 316).

Supplied singly without screws. Fixing sets should be ordered separately, see code scheme.

Specify fixing centres and separate fixing sets when ordering. For special fixing centres, contact sales department.

Fixing centres	400 mm	
Total length	600 mm	

Stainless steel		
Ø 26	15.026.122.05.H	85
Ø 32	15.032.122.05.H	88
Ø 40	15.040.122.05.H	103



Type of end caps




a = flat (standard)



r = domed






g = angled





o = ball

Fixing Sets




Timber doors



Glass doors



Aluminium doors



no 15.0XX.422




Hollow, straight pull handle. Supplied with flat ends as standard.
Also available with round, angled or „ball“ ends.

Available in satin stainless steel (AISI 316).


Supplied singly without screws. Fixing sets should be ordered separately, see code scheme.

Specify fixing centres and separate fixing sets when ordering.
For special fixing centres, contact sales department.

Fixing centres	400 mm	
Total length	600 mm	
Stainless steel		
Ø 32	15.032.422.05.H	88
Ø 40	15.040.422.05.H	103



Type of end caps




a = flat (standard)



r = domed






g = angled





o = ball

Fixing Sets




Timber doors



Glass doors



Aluminium doors





no 1512 - 1513 - 1514




Solid, straight pull handle.

Available in satin stainless steel (AISI 304).

Supplied singly, thread or pin side, without fixing sets. Pin side supplied with grub screw, thread side supplied with M8 thread. Fixing sets should be ordered separately, see code scheme.


Specify fixing centres and separate fixing sets when ordering. For special fixing centres, contact sales department.



Fixing centres	125 mm	200 mm	300 mm	400 mm	650 mm	
Stainless steel						
Ø 14	1512.01.GEV / HUL	1512.04.GEV / HUL	1512.02.GEV / HUL	1512.05.GEV / HUL	1512.03.GEV / HUL	55
Ø 16	1513.01.GEV / HUL	1513.04.GEV / HUL	1513.02.GEV / HUL	1513.05.GEV / HUL	1513.03.GEV / HUL	55
Ø 19	1514.01.GEV / HUL	1514.04.GEV / HUL	1514.02.GEV / HUL	1514.05.GEV / HUL	1514.03.GEV / HUL	60

GEV = thread side
HUL = pin side

Fixing Sets



X =

10 - 22 mm.	53002/MA	74071/GA	53050T	53040/SA
23 - 30 mm.	53002/MB	74071/GB		53040/SB
31 - 42 mm.	53002/MC	74071/GC		53040/SC
43 - 54 mm.	53002/MD	74071/GD		53040/SD
55 - 66 mm.	53002/ME	74071/GE		53040/SE
67 - 78 mm.	53002/MF	74071/GF		53040/SF
79 - 90 mm.		74071/GG		53040/SG

no 15.0XX.22



Hollow, straight pull handle.

Available in satin stainless steel (AISI 316).




Supplied singly without screws. Fixing sets should be ordered separately, see code scheme.

Specify fixing centres and separate fixing sets when ordering. For special fixing centres, contact sales department.



Fixing centres	200 mm	300 mm	400 mm	
Stainless steel				
Ø 26	15.026.22.04.H	15.026.22.02.H	15.026.22.05.H	85
Ø 32	15.032.22.04.H	15.032.22.02.H	15.032.22.05.H	88
Ø 40			15.040.22.05.H	103

Fixing Sets




Timber doors



Glass doors



Aluminium doors



K 9 - 23 mm - no. 53143
K 23 - 41 mm - no. 53144

no 1532 - 1533 - 1534





Solid, cranked pull handle.

Available in satin stainless steel (AISI 304).

Supplied singly, thread or pin side, without fixing sets. Pin side supplied with grub screw, thread side supplied with M8 thread. Fixing sets should be ordered separately, see code scheme.


Specify fixing centres and separate fixing sets when ordering. For special fixing centres, contact sales department.



Fixing centres	125 mm	200 mm	300 mm	400 mm	650 mm		
Stainless steel							
Ø 14	1532.01.GEV / HUL	1532.04.GEV / HUL	1532.02.GEV / HUL	1532.05.GEV / HUL	1532.03.GEV / HUL	60	55
Ø 16	1533.01.GEV / HUL	1533.04.GEV / HUL	1533.02.GEV / HUL	1533.05.GEV / HUL	1533.03.GEV / HUL	60	55
Ø 19	1534.01.GEV / HUL	1534.04.GEV / HUL	1534.02.GEV / HUL	1534.05.GEV / HUL	1534.03.GEV / HUL	75	60

GEV = thread side
HUL = pin side

Fixing Sets



X =

10 - 22 mm.	53002/MA	74071/GA	53040/SA
23 - 30 mm.	53002/MB	74071/GB	53040/SB
31 - 42 mm.	53002/MC	74071/GC	53040/SC
43 - 54 mm.	53002/MD	74071/GD	53040/SD
55 - 66 mm.	53002/ME	74071/GE	53040/SE
67 - 78 mm.	53002/MF	74071/GF	53040/SF
79 - 90 mm.	53002/MG	74071/GG	53040/SG

53050T

no 15.0XX.23




Hollow, cranked pull handle.

Available in satin stainless steel (AISI 316).

Supplied singly without screws. Fixing sets should be ordered separately, see code scheme.




Specify fixing centres and separate fixing sets when ordering. For special fixing centres, contact sales department.





Fixing centres	200 mm	300 mm	400 mm		
Stainless steel					
Ø 26	15.026.23.04.H	15.026.23.02.H	15.026.23.05.H	120	85
Ø 32	15.032.23.04.H	15.032.23.02.H	15.032.23.05.H	120	88
Ø 40			15.040.23.05.H	165	103

Fixing Sets




Timber doors



Glass doors



Aluminium doors



K 9 - 23 mm - no. 53143
K 23 - 41 mm - no. 53144

no 15.0XX.24




Hollow, cranked pull handle.


Available in satin stainless steel (AISI 316).

Supplied singly without screws. Fixing sets should be ordered separately, see code scheme.

Specify fixing centres and separate fixing sets when ordering.






110
160
210



Fixing centres	200 mm	300 mm	400 mm	
Stainless steel				
Ø 26	15.026.24.04.H	15.026.24.02.H	15.026.24.05.H	85
Ø 32	15.032.24.04.H	15.032.24.02.H	15.032.24.05.H	88
Ø 40			15.040.24.05.H	103

Fixing Sets




Timber doors



Glass doors



Aluminium doors



no 15.0XX.25





Hollow, cranked pull handle.

Available in satin stainless steel (AISI 316).

Supplied singly without screws. Fixing sets should be ordered separately, see code scheme.




Specify fixing centres and separate fixing sets when ordering.





Fixing centres	200 mm	300 mm	400 mm	
Stainless steel				
Ø 26	15.026.25.04.H	15.026.25.02.H		85
Ø 32	15.032.25.04.H	15.032.25.02.H	15.032.25.05.H	88

Fixing Sets




Timber doors



Glass doors



Aluminium doors



K 23 - 41 mm - no. 53144

no 15.0XX.223




Hollow, cranked and mitred pull handle.

Available in satin stainless steel (AISI 316).

Supplied singly without screws. Fixing sets should be ordered separately, see code scheme.

Specify fixing centres and separate fixing sets when ordering. For special fixing centres, contact sales department.






120



Fixing centres	200 mm	300 mm	400 mm	
Stainless steel				
Ø 26	15.026.223.04.H	15.026.223.02.H	15.026.223.05.H	85
Ø 32	15.032.223.04.H	15.032.223.02.H	15.032.223.05.H	88

Fixing Sets




Timber doors



Glass doors



Aluminium doors



K 23 - 41 mm - no. 53144

no 15.0XX.224





Hollow, cranked and mitred pull handle.

Available in satin stainless steel (AISI 316).

Supplied singly without screws. Fixing sets should be ordered separately, see code scheme.




Specify fixing centres and separate fixing sets when ordering.





Fixing centres	300 mm	400 mm	
Stainless steel			
Ø 26	15.026.224.02.H	15.026.224.05.H	85
Ø 32	15.032.224.02.H	15.032.224.05.H	88

Fixing Sets




Timber doors



Glass doors



Aluminium doors



K 9 - 23 mm - no. 53143
K 23 - 41 mm - no. 53144

no 15.0XX.225





Hollow, cranked and mitred pull handle.

Available in satin stainless steel (AISI 316).

Supplied singly without screws. Fixing sets should be ordered separately, see code scheme.




Specify fixing centres and separate fixing sets when ordering.





Fixing centres	200 mm	300 mm	
Stainless steel			
Ø 26	15.026.225.04.H	15.026.225.02.H	85
Ø 32	15.032.225.02.H	15.032.225.05.H	88

Fixing Sets




Timber doors



Glass doors



Aluminium doors



K 23 - 41 mm - no. 53144

no 15.0XX.226



Hollow, cranked and mitred pull handle.

Available in satin stainless steel (AISI 316).

Supplied singly without screws. Fixing sets should be ordered separately, see code scheme.

Specify fixing centres and separate fixing sets when ordering.






76



Fixing centres	300 mm	
Stainless steel		
Ø 26	15.026.226.02.H	85
Ø 32	15.032.226.02.H	88

Fixing Sets




Timber doors



Glass doors



Aluminium doors



K 23 - 41 mm - no. 53144

no 1550




Straight, solid pull handle, $\varnothing 16$ mm, face fixing with roses $\varnothing 45 \times 3$ mm.

Available in satin stainless steel (AISI 304).

Supplied singly incl. wood screws 3,5x16 mm.

For special fixing centres, contact sales department.



Fixing centres	200 mm	300 mm	400 mm	650 mm
Stainless steel $\varnothing 16$	1550.01	1550.02	1550.03	1550.04

no 1551 - 1552





Straight, solid pull handle, $\varnothing 16$ and 19 mm, face fixing with rose covers $\varnothing 52 \times 4$ mm, concealed screws.

Available in satin stainless steel (AISI 304).

Supplied singly incl. wood screws 3,5x16 mm.

For special fixing centres, contact sales department.



Fixing centres	200 mm	300 mm	400 mm	650 mm	
Stainless steel $\varnothing 16$	1551.01	1551.02	1551.03	1551.04	57
$\varnothing 19$	1552.01	1552.02	1552.03	1552.04	62


no 1554 - 1558



Cranked, solid pull handle, $\varnothing 16$ and 19 mm, face fixing with rose covers $\varnothing 52 \times 4$ mm, concealed screws.



Available in satin stainless steel (AISI 304).

Supplied singly incl. wood screws $3,5 \times 16$ mm.
For special fixing centres, contact sales department.



Fixing centres	200 mm	300 mm	400 mm		
Stainless steel					
$\varnothing 16$	1554.01	1554.02	1554.03	57	60
$\varnothing 19$	1558.01	1558.02	1558.03	62	75

no 1560




Stainless steel: 1560.00

Cranked, solid elbow handle, $\varnothing 16$ mm, face fixing with rose covers $\varnothing 45 \times 3$ mm.

Available in satin stainless steel (AISI 304).

Supplied singly incl. wood screws $3,5 \times 16$ mm.
Specify right handed = R or left handed = L as last digit.
Illustration shows right handed.

no 1565




Cranked, solid pull handle, $\varnothing 16$ mm, back to back fixing.
Specify door thickness when ordering.

Available in satin stainless steel (AISI 304).

Supplied in pairs, including M8 assembly screws and loose washers
 $\varnothing 28 \times 2$ mm.

Fixing centres	158 mm
Stainless steel	1565.00


Fixing Sets



X =

10 - 22 mm.	53002/MA	74071/GA	53040/SA
23 - 30 mm.	53002/MB	74071/GB	53040/SB
31 - 42 mm.	53002/MC	74071/GC	53040/SC
43 - 54 mm.	53002/MD	74071/GD	53040/SD
55 - 66 mm.	53002/ME	74071/GE	53040/SE
67 - 78 mm.	53002/MF	74071/GF	53040/SF
79 - 90 mm.	74071/GG	53050T	53040/SG

no 1567




Cranked, solid pull handle, $\varnothing 16$ mm, back to back fixing.
 Supplied with backplate 200x140x2 mm. Drilled for countersunk wood screws or M4 machine screws. Specify door thickness when ordering.

Available in satin stainless steel (AISI 304).

Supplied in pairs including assembly screws.

Fixing centres	158 mm
Stainless steel	1567.00

Fixing Sets



X =

10 - 22 mm.	53002/MA	74071/GA	53040/SA
23 - 30 mm.	53002/MB	74071/GB	53040/SB
31 - 42 mm.	53002/MC	74071/GC	53050T
43 - 54 mm.	53002/MD	74071/GD	53040/SD
55 - 66 mm.	53002/ME	74071/GE	53040/SE
67 - 78 mm.	53002/MF	74071/GF	53040/SF
79 - 90 mm.		74071/GG	53040/SG


no 1570



Pull handle for sliding doors, $\varnothing 16 \times 125$ mm, fixed on backplate $180 \times 137 \times 2$ mm.

Available in satin stainless steel (AISI 304).

Drilled for wood screws or M4 screws. Supplied singly including wood screws.



Stainless steel: 1570.00


no 1571



Backplate with flush handle, $180 \times 137 \times 2$ mm.

Available in satin stainless steel (AISI 304).

Drilled for wood screws or M4 screws. Supplied singly including wood screws.



Stainless steel: 1571.00


no 1580



Backplate 175x65x2 mm with flush handle. Drilled for 3.5 mm wood screws or M4 machine screws.

Available in satin stainless steel (AISI 304).

Supplied singly incl. wood screws 3,5x16 mm.



Stainless steel: 1580.00


no 1581



Backplate 175x170x2 mm, with flush handle. Drilled for 3.5 mm wood screws or M4 machine screws.

Available in satin stainless steel (AISI 304).

Supplied singly incl. wood screws 3,5x16 mm.



Stainless steel: 1581.00




no 1590



Solid pull handle, $\varnothing 16 \times 125$ mm, fixed on backplate $175 \times 65 \times 2$ mm.
Drilled for 3.5 mm wood screws or M4 machine screws.

Available in satin stainless steel (AISI 304) or polished brass.

Supplied singly incl. wood screws $3,5 \times 16$ mm.



Stainless steel: **1590.00**
Brass: **p1590.90**


no 1591



Solid pull handle, $\varnothing 16 \times 125$ mm, fixed on backplate $175 \times 170 \times 2$ mm.
Drilled for 3.5 mm wood screws or M4 machine screws.

Available in satin stainless steel (AISI 304) or polished brass.

Supplied singly incl. wood screws $3,5 \times 16$ mm.



Stainless steel: **1591.00**
Brass: **p1591.90**

